



2460

StealthLite™

The rechargeable version of the StealthLite™ 2410 LED Flashlight. The 2460 uses the 2469P Ni-MH batteries for extended burn time. It comes with a charger base unit that can be installed at home or work using the transformer, or in a vehicle through direct wiring or 12V plug-in.

- Built Pelican tough
- Rechargeable battery pack
- Super bright 1 watt LED beam
- Unconditional Lifetime Guarantee of Excellence
- **NOW WITH NEW UPGRADED SPECS**
- Waterproof



DIMENSIONS

Length	7.00" (17.8 cm)
---------------	-----------------

MATERIALS

Body	ABS
O-Ring	Ethylene Propylene
Lens	Polycarbonate (PC)
Shroud	ABS
Contact Spring Retainer	Stainless Steel / Phosphore Bronze

COLORS

	High Visibility Yellow
--	------------------------

LIGHT SPECS

Lamp Type	LED
------------------	-----

POWER

Battery Size	AA
Battery Type	NiMH
Battery Quantity	4
Batteries Included	yes
Rechargeable	yes
Charge Time	5 hrs
Volts	4.8v

WEIGHT

Weight With Batteries	7.8 oz (221 gr)
Weight Without Batteries	4.4 oz (125 gr)
Packaged Weight	1.4 oz (40 gr)

SWITCH

Switch Type	One-handed Safety Switch
Light Modes	On / Off

CERTIFICATIONS

Class I, Division 2
Class II, Division 2

OTHER

Submersible	yes
Minimum Pack	1
Military	yes
Package Code	C

FL1 STANDARD	HIGH
	183 LUMENS
	5h 0mins
	179m
	8050cd
	IPX7

ACCESSORIES



0780
Helmet Light Holder



0700
Helmet Light Holder



0750
Helmet Light Holder



2413PL
Photoluminescent Shroud



0770
Helmet Light Holder



2407
Nylon Holster



2479
Replacement Battery



8056F
12v Plug-in for Fast Charger



2450FBC
Fast Charger Bank (5
receptacles)



2467F
110V Transformer (USA)



2470F
Deck/Dash Charger Base Unit



6061F
Direct Wiring Rig for Fast
Charger



2469P
Replacement Battery

Pelican

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311
sales@pelican.com • www.pelican.com

Document created on 02-24-26